

SAFE AT WORK

..... *& back home*






Eyecatcher is a manufacturer and international distributor of Height Safety Systems. Our products represent Dutch Design & Dutch Quality, ensure rapid and easy installation and guarantee your safe home coming after working on heights.

You need roof safety systems to rely on, regardless the activities. Our own innovative designs focus on safety and are ready to install from the box. The distinct colours and smart appearance of our systems make them highly visible and mark the safety zone. This way Eyecatcher guarantees a safe working area for everyone working on height. Each and every day. Eyecatcher, Focused on your Safety.



SAFE AT WORK

& back home



X1250 MOBILE GRABBER

LOOK AT PAGE 28 FOR MORE INFORMATION



CONTENTS

TWISTFIX EN-795:2012 TYPE A	6	SEAMFIX 450 EN-795:2012 TYPE C	48
BODYFIX EN-795:2012 TYPE A	8	SEAMFIX 660 EN-795:2012 TYPE C	50
LOOPFIX EN-795:2012 TYPE A	10	STEELFIX EVO EN-795:2012 TYPE C	52
SEAMFIX EN-795:2012 TYPE A	12	SPINFIX EN-795:2012 TYPE C	54
STEELFIX EVO EN-795:2012 TYPE A	14	WALLFIX FLAT EN-795:2012 TYPE C	56
SPINFIX EN-795:2012 TYPE A	16	WALLFIX SUPPORT EN-795:2012 TYPE C	58
WALLFIX EN-795:2012 TYPE A	18	TRAVELFIX EN-795:2012 TYPE C	60
KN-AO & EYE-AP EN-795:2012 TYPE A	20	SAFERAIL EN-795:2012 TYPE D	62
CONCRETE LIFELINE KIT EN-795:2012 TYPE A	22	SAFERAIL EN-353-1:2014	63
RESTRICTED SPACE DAVIT SYSTEMS		SAFEWALKER	64
EN-795:2012 TYPE A	24	CROSSFIX EN-795:2012 TYPE E	66
X1250 MOBILE GRABBER EN-795:2012 TYPE B	28	VERTIFIX EN-353-1:2014	68
RAIL CLAMPS EN-795:2012 TYPE B	30	ROOFFIX EN-517:2006 TYPE B	70
DOORFIX EN-795:2012 TYPE B	32	LADDERBRACKET & SAFETY SIGNS	72
CLICKFIX EN-795:2012 TYPE B	34	SOLARFIX LOW	74
CONTAINER LIFELINE KIT EN-795:2012 TYPE B	36	ROOF ACCESS & CAGE LADDERS	76
SAFETY ANCHOR & SAFETY NETS CONNECTOR		GUARDRAIL & ROOF LIGHTS	77
EN-795:2012 TYPE B	38	TEMPORARY GUARDRAIL RENTAL	78
TWISTFIX EN-795:2012 TYPE C	40	PERSONAL PROTECTION EQUIPMENT	79
TWISTFIX EVO EN-795:2012 TYPE C	42	LOOSE PARTS FIX LINE SYSTEM	82
SOLARFIX LOW EN-795:2012 TYPE C	44	INSTALLATION TOOLS	84
BODYFIX EN-795:2012 TYPE C	46	HEIGHT SAFETY SYSTEMS	86

TWISTFIX
EN-795:2012 TYPE A



Twistfix C



- Art. nr.: EC-TF-C
- One M12 anchor required
- Weight: 2.65 lbs. (1,2 kg)

Temporary Lifeline 20 mtr



- Art. nr.: EC-THL-20
- Weight: 10.94 lbs. (4,96 kg)



Twistfix EVO



- Art. nr.: EC-TF-EVO
- One M12 anchor required
- Weight: 1.76 lbs. (0,80kg)

M12 Concrete Anchor 300 mm



- Art. nr.: EC-MA-12
- Weight: 0.73 lbs. (0,33 kg)

M12 Toggle Bolt 245 mm



- Art. nr.: EC-TF-TP245
- Weight: 1.32 lbs. (0,60 kg)

M12 Toggle Bolt 300 mm



- Art. nr.: EC-TF-TP300
- Weight: 1.37 lbs. (0,62 kg)

Positioning Line 5/10/20 mtr



- Art. nrs. : EC-PL-5/-10/-20
- Weight 5mtr: 0.71 lbs. (1,57 kg)
- Weight 10mtr: 0.90 lbs. (1,98 kg)
- Weight 20mtr: 1.28 lbs. (2,78 kg)

Karabiner Anti-Pendulum



- Art. nr.: EC-KB

Full Body Harness Professional



- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Suitcase Storage PPE



- Art. nr.: EC-K
- Dimensions: 48x36x18 cm
- Weight: 4.21 lbs. (1,91 kg)

BODYFIX
EN-795:2012 TYPE A



Bodyfix Bitumen



- Art. nr.: EC-BF-BIT
- Bituminous collar included
- Four Mio anchors required
- Weight: 11 lbs. (5,0 kg)

Temporary Lifeline 20 mtr



- Art. nr.: EC-THL-20
- Weight: 10.94 lbs. (4,96 kg)



Bodyfix PVC



- Art. nr.: EC-BF-PVC
- PVC collar included
- Four Mio anchors required
- Weight: 7.83 lbs. (3,55 kg)

Bodyfix EPDM



- Art. nr.: EC-BF-EPDM
- EPDM collar included
- Four Mio anchors required
- Weight: 7.50 lbs. (3,40 kg)

Mio Concrete Anchors 300 mm



- Art. nr.: EC-MA-10
- Weight: 0.46 lbs. (0,21 kg)

Mio Toggle Bolts 300 mm



- Art. nr.: EC-TP
- Weight: 1.37 lbs. (0,62 kg)

Positioning Line 5/10/20 mtr



- Art. nrs. : EC-PL-5/-10/-20
- Weight 5mtr: 0.71 lbs. (1,57 kg)
- Weight 10mtr: 0.90 lbs. (1,98 kg)
- Weight 20mtr: 1.28 lbs. (2,78 kg)

Karabiner Anti-Pendulum



- Art. nr.: EC-KB

Full Body Harness Professional



- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Suitcase Storage PPE



- Art. nr.: EC-K
- Dimensions: 48x36x18 cm
- Weight: 4.21 lbs. (1,91 kg)

LOOPFIX
EN-795:2012 TYPE A



Loopfix Flat or Bended



- Art. nr.: EC-LFE-F / EC-LFE-B
- Screws included
- Weight: 1.54 lbs. (0,70 kg)

Loopfix Vertical Beam



- Art. nr.: EC-LFE-V
- Bolts included
- Weight: 1.65 lbs. (0,75 kg)

Loopfix Double Beam



- Art. nr.: EC-LFE-DB700
- Screws included
- Range 450 - 700 mm
- Weight: 7.91 lbs. (3,59 kg)

Loopfix Double Beam



- Art. nr.: EC-LFE-DB1200
- Screws included
- Range 930 - 1200 mm
- Weight: 12.3 lbs. (5,59 kg)

Positioning Line 5/10/20 mtr



- Art. nrs. : EC-PL-5/-10/-20
- Weight 5mtr: 0.71 lbs. (1,57 kg)
- Weight 10mtr: 0.90 lbs. (1,98 kg)
- Weight 20mtr: 1.28 lbs. (2,78 kg)

Double Leg Safety Lanyard



- Art. nr.: EC-VLD-4
- Length: 2 mtr
- Weight: 0.72 lbs. (1,58 kg)

Full Body Harness Professional





- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Suitcase Storage PPE



- Art. nr.: EC-K
- Dimensions: 48x36x18 cm
- Weight: 4.21 lbs. (1,91 kg)

SEAMFIX
EN-795:2012 TYPE A



Seamfix 450



- Art. nr.: EC-SMF-450
- No blocks included
- Four blocks needed
- Weight: 11.77 lbs. (5,34 kg)

Temporary Lifeline 20 mtr



- Art. nr.: EC-THL-20
- Weight: 10.94 lbs. (4,96 kg)

Seamfix 660




- Art. nr.: EC-SMF-660
- No blocks included
- Four blocks needed
- Weight: 14.44 lbs. (6,55 kg)

SP-Anchor




- Art. nr.: EC-SMF-PA
- Two blocks needed
- Weight: 5.16 lbs. (2,34 kg)

S-5! E-Clamp




- Art. nr.: EC-SMF-EC

S-5! S-Clamp



- Art. nr.: EC-SMF-SC

S-5! Z-Clamp



- Art. nr.: EC-SMF-ZC

S-5! K-Clamp



- Art. nr.: EC-SMF-KG

Positioning Line 5/10/20 mtr



- Art. nrs. : EC-PL-5/-10/-20
- Weight 5mtr: 0.71 lbs. (1,57 kg)
- Weight 10mtr: 0.90 lbs. (1,98 kg)
- Weight 20mtr: 1.28 lbs. (2,78 kg)

Full Body Harness Professional




- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Suitcase Storage PPE




- Art. nr.: EC-K
- Dimensions: 48x36x18 cm
- Weight: 4.21 lbs. (1,91 kg)

S-5! R465-Clamp



- Art. nr.: EC-SMF-R465

S-5! B-Clamp



- Art. nr.: EC-SMF-B

STEELFIX EVO
EN-795:2012 TYPE A



Steelfix EVO



- Art. nr.: EC-SFE
- Bituminous tape included
- 16 Bulb Tite rivets included
- Weight: 4.74 lbs. (2,15 kg)

Steelfix



- Art. nr.: EC-SF
- Bituminous tape included
- 16 Bulb Tite rivets included
- Weight: 4.74 lbs. (2,15 kg)

Bulb-Tite Rivet Tool



- Art. nr.: EC-TFL-BTR

Temporary Lifeline 20 mtr



- Art. nr.: EC-THL-20
- Weight: 10.94 lbs. (4,96 kg)

Positioning Line 5/10/20 mtr



- Art. nrs. : EC-PL-5/-10/-20
- Weight 5mtr: 0.71 lbs. (1,57 kg)
- Weight 10mtr: 0.90 lbs. (1,98 kg)
- Weight 20mtr: 1.28 lbs. (2,78 kg)

Karabiner Anti-Pendulum



- Art. nr.: EC-KB

Full Body Harness Professional




- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Suitcase Storage PPE



- Art. nr.: EC-K
- Dimensions: 48x36x18 cm
- Weight: 4.21 lbs. (1,91 kg)

SPINFIX
EN-795:2012 TYPE A



Spinfix



- Art. nr.: EC-SPF
- Range 90 - 200 mm
- 6 Bulb Tite rivets included
- Weight: 1.60 lbs. (0,73 kg)

Temporary Lifeline 20 mtr



- Art. nr.: EC-THL-20
- Weight: 10.94 lbs. (4,96 kg)

Spinfix Large



- Art. nr.: EC-SPF-L
- Range 90 - 340 mm
- 6 Bulb Tite rivets included
- Weight: 0.602 lbs. (1,33 kg)

Bulb-Tite Rivet Tool



- Art. nr.: EC-TFL-BTR

Spinfix Filler Plates



- Art. nr.: EC-SFE-RVS
- Bituminous tape included
- 16 Bulb Tite rivets included
- Weight: 0.63 lbs. (0,29 kg)

Spinfix Large Filler Plates



- Art. nr.: EC-SF
- Bituminous tape included
- 16 Bulb Tite rivets included
- Weight: 0.44 lbs. (0,97 kg)

Positioning Line 5/10/20 mtr



- Art. nrs. : EC-PL-5/-10/-20
- Weight 5mtr: 0.71 lbs. (1,57 kg)
- Weight 10mtr: 0.90 lbs. (1,98 kg)
- Weight 20mtr: 1.28 lbs. (2,78 kg)

Karabiner Anti-Pendulum



- Art. nr.: EC-KB

Full Body Harness Professional



- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Suitcase Storage PPE



- Art. nr.: EC-K
- Dimensions: 48x36x18 cm
- Weight: 4.21 lbs. (1,91 kg)

WALLFIX
EN-795:2012 TYPE A



Wallfix Anchor Point



- Art. nr.: EC-WF-AP
- Three Mio anchors required
- Weight: 1.73 lbs. (0,784 kg)

Wallfix KN-AO



- Art. nr.: EC-WF-KNAO
- Three Mio anchors required
- Weight: 2.15 lbs. (0,974 kg)

Mio Concrete anchor



- Art. nr.: EC-CA-10
- Weight: 0.226 lbs. (0,10 kg)

Temporary Lifeline 20 mtr



- Art. nr.: EC-THL-20
- Weight: 10.94 lbs. (4,96 kg)

Self Retracting Lifeline



- Art. nr.: EC-VSB-2,25
- Length: 2,25 mtr

Positioning Line 5/10/20 mtr



- Art. nrs. : EC-PL-5/-10/-20
- Weight 5mtr: 0.71 lbs. (1,57 kg)
- Weight 10mtr: 0.90 lbs. (1,98 kg)
- Weight 20mtr: 1.28 lbs. (2,78 kg)

Full Body Harness Professional



- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Suitcase Storage PPE



- Art. nr.: EC-K
- Dimensions: 48x36x18 cm
- Weight: 4.21 lbs. (1,91 kg)

KN-AO & EYE-AP
EN-795:2012 TYPE A



Anchor Eye KN-AO



- Art. nr.: EC-KN-AO
- One M12 anchor required
- Weight: 0.49 lbs. (0,22 kg)

Anchor Eye EYE-AP



- Art. nr.: EC-EYE-AP
- One Mio anchor required
- Weight: 0.14 lbs. (0,06kg)

M12 Concrete anchor



- Art. nr.: EC-CA-12
- Weight: 0.406 lbs. (0,184 kg)

Mio Concrete anchor



- Art. nr.: EC-CA-10
- Weight: 0.226 lbs. (0,10 kg)

Lanyard with shock absorber



- Art. nr.: EC-VLD-6
- Weight: 1.40 lbs. (0,63 kg)

Self Retracting Lifeline



- Art. nr.: EC-VSB-2,25
- Length: 2,25 mtr

Full Body Harness Professional




- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Suitcase Storage PPE



- Art. nr.: EC-K
- Dimensions: 48x36x18 cm
- Weight: 4.21 lbs. (1,91 kg)

CONCRETE LIFELINE KIT
EN-795:2012 TYPE A



Lanyard with shock absorber



- Art. nr.: EC-VLD-2
- Length: 2 mtr
- Weight: 0.72 lbs. (1,58 kg)

Full Body Harness Basic



- Art. nr.: EC-FBH-B
- Weight: 4.21 lbs. (1,91 kg)

Full Body Harness Professional



- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Positioning Line 5 mtr



- Art. nrs. : EC-PL-5
- Weight 5mtr: 0.71 lbs. (1,57 kg)

Concrete Lifeline Kit



- Art. nr.: EC-CLK

Self Retracting Lifeline 3,5 mtr



- Art. nr.: EC-VSBV-3.5GW
- Length: 3,5 mtr/Wire

Self Retracting Lifeline 6 mtr



- Art. nr.: EC-VSB-6W
- Length: 6 mtr/Webbing

Suitcase Storage PPE



- Art. nr.: EC-K
- Dimensions: 48x36x18 cm
- Weight: 4.21 lbs. (1,91 kg)


**RESTRICTED SPACE DAVIT
SYSTEM FREE STANDING
EN-795:2012 TYPE A**



RESTRICTED SPACE
DAVIT SYSTEM FIXED
EN-795:2012 TYPE A



**RESTRICTED SPACE DAVIT
SYSTEM COLUMN CLAMPED
EN-795:2012 TYPE A**



**RESTRICTED SPACE DAVIT
SYSTEM CONCRETE
EN-795:2012 TYPE A**



X1250 MOBILE GRABBER
EN-795:2012 TYPE B





Full Body Harness Professional



■ Art. nr.: EC-FBH-PRO

Self Retracting Lifeline 10 mtr



- Art. nr.: EC-VSBV-10GW
- Length: 10 mtr


X1250 Mobile Grabber



X1250 Mobile Grabber



X1250 Mobile Grabber Reach Chart



RAIL CLAMPS
EN-795:2012 TYPE B



MP Clamp XL



- Art. nr.: EC-MPC-XL
- For I- and H-beams
- Weight: 4.85 lbs. (2,2 kg)

Beam Clamp with rollers



- Art. nr.: EC-MPC-R
- For I- and H-beams
- Weight: 7.72 lbs. (3,5 kg)

Beam Clamp vert. and horiz.



- Art. nr.: EC-MPC-V
- For I- and H-beams
- Weight: 5.51 lbs. (2,5 kg)

Hollow Concrete Clamp



- Art. nr.: EC-HCC
- Three persons
- Weight: 17.64 lbs. (8 kg)

Lanyard with shock absorber



- Art. nr.: EC-VLD-6
- Weight: 1.40 lbs. (0,63 kg)

Self Retracting Lifeline



- Art. nr.: EV-VSB-6W
- Length: 6 mtr

Full Body Harness Professional



- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Suitcase Storage PPE



- Art. nr.: EC-K
- Dimensions: 48x36x18 cm
- Weight: 4.21 lbs. (1,91 kg)

DOORFIX
EN-795:2012 TYPE B



Doorfix



- Art. nr.: EC-DF
- Certified fall protection 2-persons
- Weight: 21.2 lbs. (9,6 kg)

Positioning Line 5/10/20 mtr



- Art. nrs. : EC-PL-5/-10/-20
- Weight 5mtr: 0.71 lbs. (1,57 kg) / 10mtr: 0.90 lbs. (1,98 kg) / 20mtr: 1.28 lbs. (2,78 kg)

Self Retracting Lifeline



- Art. nr.: EV-VSB-6W
- Length: 6 mtr

Self Retracting Lifeline



- Art. nr.: EC-VSB-2,25
- Length: 2,25 mtr

Full Body Harness Professional



- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Suitcase Storage PPE



- Art. nr.: EC-K
- Dimensions: 48x36x18 cm
- Weight: 4.21 lbs. (1,91 kg)

CLICKFIX
EN-795:2012 TYPE B



Clickfix Concrete



- Art. nr.: EC-CF-CRS
- Weight: 0.49 lbs. (0,22 kg)

Lanyard with shock absorber



- Art. nr.: EC-VLD-6
- Weight: 1.40 lbs. (0,63 kg)

Clickfix Steel



- Art. nr.: EC-CF-S
- Weight: 0.71 lbs. (0,32 kg)

Clickfix Universal



- Art. nr.: EC-CF-SC
- Weight: 0.88 lbs. (0,40 kg)

Clickfix Anchor



- Art. nr.: EC-CF-A
- Weight: 0,56 lbs. (0,25 kg)

Positioning Line 5/10/20 mtr



- Art. nrs. : EC-PL-5/-10/-20
- Weight 5mtr: 0.71 lbs. (1,57 kg)
- Weight 10mtr: 0.90 lbs. (1,98 kg)
- Weight 20mtr: 1.28 lbs. (2,78 kg)

Togglefix



- Art. nr.: EC-TFA-43/-63/-83/-103
- Length: 43/63/83/103 mm

Full Body Harness Professional



- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)


Suitcase Storage PPE



- Art. nr.: EC-K
- Dimensions: 48x36x18 cm
- Weight: 4.21 lbs. (1,91 kg)

CONTAINER LIFELINE KIT
EN-795:2012 TYPE B





Container Lifeline Post



■ Art. nrs. : EC-CLL-P

Container Lifeline kit 20 ft



■ Art. nr.: EC-CLL-20

Container Lifeline kit 40 ft



■ Art. nr.: Art. nr.: EC-CLL-40

**SAFETY ANCHOR &
SAFETY NETS CONNECTOR**
EN-795:2012 TYPE B



Safety Anchor & Nets Connector



- Art. nr.: EC-SA-SNC
- Weight: 4.21 lbs. (1,91 kg)

Full Body Harness Basic



- Art. nr.: EC-FBH-B
- Weight: 4.21 lbs. (1,91 kg)

Full Body Harness Professional



- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Positioning Line 5 mtr



- Art. nrs. : EC-PL-5
- Weight 5mtr: 0.71 lbs. (1,57 kg)

Lanyard with shock absorber



- Art. nr.: EC-VLD-6
- Weight: 1.40 lbs. (0,63 kg)

Self Retracting Lifeline 3,5 mtr



- Art. nr.: EC-VSBV-3.5GW
- Length: 3,5 mtr/Wire

Self Retracting Lifeline 6 mtr



- Art. nr.: EC-VSB-6W
- Length: 6 mtr/Webbing

Suitcase Storage PPE



- Art. nr.: EC-K
- Dimensions: 48x36x18 cm
- Weight: 4.21 lbs. (1,91 kg)

TWISTFIX
EN-795:2012 TYPE C



Twistfix End post



- Art. nr.: EC-TFL-EP
- Four Mio anchors required
- Weight: 8.05 lbs. (3,65 kg)

S-type Energy Absorber



- Art. nr.: EC-VF-EA
- Weight: 1.12 lbs. (0,51 kg)

Crimp Fitting



- Art. nr.: EC-VF-CF
- Weight: 0.31 lbs. (0,14 kg)

Tensioner



- Art. nr.: EC-TFL-T
- Weight: 1.19 lbs. (0,54 kg)

Shuttle



- Art. nr.: EC-ST-G
- Weight: 0.71 lbs. (0,32 kg)

Twistfix Intermediate post



- Art. nr.: EC-TFL-TP
- One M12 anchor required
- Weight: 3.04 lbs. (1,38 kg)

Twistfix Corner post 90 degrees



- Art. nr.: EC-TFL-HP
- Four M10 anchors required
- Weight: 8.80 lbs. (3,99 kg)

Twistfix Bendable Corner post




- Art. nr.: EC-TFL-HPB
- Four M10 anchors required
- Weight: 8.05 lbs. (3,65 kg)

Twistfix Double End post



- Art. nr.: EC-TFL-EPD
- Four M10 anchors required
- Weight: 8.22 lbs. (3,73 kg)

Steel Wire Cable AISI 316



- Art. nr.: EC-LS-SK
- 8 mm 7x19 ID-ribbon
- Weight: 0,26 kg/mtr

Positioning Line 5/10/20 mtr



- Art. nrs.: EC-PL-5/-10/-20
- Weight 5mtr: 0.71 lbs. (1,57 kg)
- Weight 10mtr: 0.90 lbs. (1,98 kg)
- Weight 20mtr: 1.28 lbs. (2,78 kg)

Full Body Harness Professional



- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Twistfix Extender post



- Art. nr.: EC-TFL-XT
- Four M10 anchors required
- Weight: 8.22 lbs. (3,73 kg)

TWISTFIX EVO
EN-795:2012 TYPE C



Twistfix EVO End post



- Art. nr.: EC-TFL-EPE
- Four Mio anchors required
- Weight: 3.70 lbs. (1,68 kg)

S-type Energy Absorber



- Art. nr.: EC-VF-EA
- Weight: 1.12 lbs. (0,51 kg)

Crimp Fitting



- Art. nr.: EC-VF-CF
- Weight: 0.31 lbs. (0,14 kg)

Tensioner



- Art. nr.: EC-TFL-T
- Weight: 1.19 lbs. (0,54 kg)

Shuttle



- Art. nr.: EC-ST-G
- Weight: 0.71 lbs. (0,32 kg)

Twistfix EVO Intermediate post



- Art. nr.: EC-TFL-TPE
- One M12 anchor required
- Weight: 1.55 lbs. (0,70 kg)

Twistfix EVO Corner post 90 degrees



- Art. nr.: EC-TFL-HPE
- Four M10 anchors required
- Weight: 4.50 lbs. (2,04 kg)

Twistfix EVO Bendable Corner post




- Art. nr.: EC-TFL-HPEB
- Four M10 anchors required
- Weight: 3.62 lbs. (1,64 kg)

Twistfix EVO Double End post



- Art. nr.: EC-TFL-EPED
- Four M10 anchors required
- Weight: 3.90 lbs. (1,77 kg)

Steel Wire Cable AISI 316



- Art. nr.: EC-LS-SK
- 8 mm 7x19 ID-ribbon
- Weight: 0,26 kg/mtr

Positioning Line 5/10/20 mtr



- Art. nrs. : EC-PL-5/-10/-20
- Weight 5mtr: 0.71 lbs. (1,57 kg)
- Weight 10mtr: 0.90 lbs. (1,98 kg)
- Weight 20mtr: 1.28 lbs. (2,78 kg)

Full Body Harness Professional



- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Twistfix EVO Extender post



- Art. nr.: EC-TFL-EXT
- Four M10 anchors required
- Weight: 3.90 lbs. (1,77 kg)

SOLARFIX LOW EN-795:2012 TYPE C



Tensioner



- Art. nr.: EC-TFL-T
- Weight: 1.19 lbs. (0,54 kg)

Twistfix EVO End post




- Art. nr.: EC-SFXL-EP
- One M12 anchor required
- Weight: 3.70 lbs. (1,68 kg)

Shuttle



- Art. nr.: EC-ST-G
- Weight: 0.71 lbs. (0,32 kg)



Solarfix Intermediate Post



- Art. nr.: EC-SFXL-TP
- One M12 anchor required
- Weight: 3.40 lbs. (1,54 kg)

Solarfix Corner Post 90 degrees



- Art. nr.: EC-SFXL-HP
- One M12 anchor required
- Weight: 4.28 lbs. (1,94 kg)

Solarfix Bendable Corner Post




- Art. nr.: EC-SFXL-HPB
- One M12 anchor required
- Weight: 3.50 lbs. (1,59 kg)

Solarfix Double End Post



- Art. nr.: EC-SFXL-EPB
- One M12 anchor required
- Weight: 3.57 lbs. (1,62 kg)

Steel Wire Cable AISI 316



- Art. nr.: EC-LS-SK
- 8 mm 7x19 ID-ribbon
- Weight: 0,26 kg/mtr

S-type Energy Absorber



- Art. nr.: EC-VF-EA
- Weight: 1.12 lbs. (0,51 kg)

Crimp Fitting



- Art. nr.: EC-VF-CF
- Weight: 0.31 lbs. (0,14 kg)

Solarfix Extender



- Art. nr.: EC-SFXL-XT
- One M12 anchor required
- Weight: 3.48 lbs. (1,58 kg)

BODYFIX
EN-795:2012 TYPE C



Bodyfix End



- Art. nr.: EC-BFL-EP
- Four Mio anchors required
- Weight: 11.2 lbs. (5,10 kg)

S-type Energy Absorber




- Art. nr.: EC-VF-EA
- Weight: 1.12 lbs. (0,51 kg)

Crimp Fitting



- Art. nr.: EC-VF-CF
- Weight: 0.31 lbs. (0,14 kg)

Tensioner



- Art. nr.: EC-TFL-T
- Weight: 1.19 lbs. (0,54 kg)

Shuttle



- Art. nr.: EC-ST-G
- Weight: 0.71 lbs. (0,32 kg)

Bodyfix Intermediate




- Art. nr.: EC-BFL-TP
- Four Mio anchors required
- Weight: 10.9 lbs. (4,96 kg)

Bodyfix Corner post 90 degrees



- Art. nr.: EC-BFL-HP
- Four Mio anchors required
- Weight: 12.0 lbs. (5,46 kg)

Bodyfix Bendable Corner



- Art. nr.: EC-BFL-HPB
- Four Mio anchors required
- Weight: 11.2 lbs. (5,07 kg)

Bodyfix Double End



- Art. nr.: EC-BFL-EPD
- Four Mio anchors required
- Weight: 11.5 lbs. (5,20 kg)

Steel Wire Cable AISI 316



- Art. nr.: EC-LS-SK
- 8 mm 7x19 ID-ribbon
- Weight: 0,26 kg/mtr

Positioning Line 5/10/20 mtr



- Art. nrs. : EC-PL-5/-10/-20
- Weight 5mtr: 0.71 lbs. (1,57 kg)
- Weight 10mtr: 0.90 lbs. (1,98 kg)
- Weight 20mtr: 1.28 lbs. (2,78 kg)

Full Body Harness Professional



- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Bodyfix Extender post



- Art. nr.: EC-BFL-XT
- Four Mio anchors required
- Weight: 11.5 lbs. (5,20 kg)

SEAMFIX 450
EN-795:2012 TYPE C



Seamfix End post



- Art. nr.: EC-SMFL-450-EP
- Range 260 - 450 mm
- Four S-5! Blocks required
- Weight: 1.8 lbs. (4,0 kg)

S-type Energy Absorber



- Art. nr.: EC-VF-EA
- Weight: 1.12 lbs. (0,51 kg)

Crimp Fitting



- Art. nr.: EC-VF-CF
- Weight: 0.31 lbs. (0,14 kg)

Tensioner



- Art. nr.: EC-TFL-T
- Weight: 1.19 lbs. (0,54 kg)

Shuttle



- Art. nr.: EC-ST-G
- Weight: 0.71 lbs. (0,32 kg)

Seamfix Intermediate post



- Art. nr.: EC-SMFL-450-IB
- Range 260 - 450 mm
- Four S-5! Blocks required
- Weight: 1.7 lbs. (3,8 kg)

Seamfix Corner post 90 degrees



- Art. nr.: EC-SMFL-450-CP
- Range 260 - 450 mm
- Four S-5! Blocks required
- Weight: 2.0 lbs. (4,4 kg)

Seamfix Bendable Corner post



- Art. nr.: EC-SMFL-450-CPB
- Range 260 - 450 mm
- Four S-5! Blocks required
- Weight: 1.8 lbs. (4,0 kg)

Seamfix Double End post



- Art. nr.: EC-SMFL-450-EPD
- Range 260 - 450 mm
- Four S-5! Blocks required
- Weight: 1.8 lbs. (4,1 kg)

Steel Wire Cable AISI 316



- Art. nr.: EC-LS-SK
- 8 mm 7x19 ID-ribbon
- Weight: 0,26 kg/mtr

Positioning Line 5/10/20 mtr



- Art. nrs. : EC-PL-5/-10/-20
- Weight 5mtr: 0.71 lbs. (1,57 kg)
- Weight 10mtr: 0.90 lbs. (1,98 kg)
- Weight 20mtr: 1.28 lbs. (2,78 kg)

Full Body Harness Professional



- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Seamfix 450 Extender post



- Art. nr.: EC-SMFL-450-XT
- Range 260-450mm
- Four S-5! Blocks required
- Weight: 1.8 lbs. (4,1 kg)

SEAMFIX 660
EN-795:2012 TYPE C



Seamfix End post



- Art. nr.: EC-SMFL-660-EP
- Range 420 - 660 mm
- Four S-5! Blocks required
- Weight: 11.7 lbs. (6,2 kg)

S-type Energy Absorber



- Art. nr.: EC-VF-EA
- Weight: 1.12 lbs. (0,51 kg)

Crimp Fitting



- Art. nr.: EC-VF-CF
- Weight: 0.31 lbs. (0,14 kg)

Tensioner



- Art. nr.: EC-TFL-T
- Weight: 1.19 lbs. (0,54 kg)

Shuttle



- Art. nr.: EC-ST-G
- Weight: 0.71 lbs. (0,32 kg)

Seamfix Intermediate post



- Art. nr.: EC-SMFL-660-IB
- Range 420 - 660 mm
- Four S-5! Blocks required
- Weight: 13.4 lbs. (6,1 kg)

Seamfix Corner post 90 degrees



- Art. nr.: EC-SMFL-660-CP
- Range 420 - 660 mm
- Four S-5! Blocks required
- Weight: 14.5 lbs. (6,6 kg)

Seamfix Bendable Corner post




- Art. nr.: EC-SMFL-660-CPB
- Range 420 - 660 mm
- Four S-5! Blocks required
- Weight: 13.7 lbs. (6,2 kg)

Seamfix Double End post



- Art. nr.: EC-SMFL-660-EPD
- Range 420 - 660 mm
- Four S-5! Blocks required
- Weight: 13.9 lbs. (6,3 kg)

Steel Wire Cable AISI 316



- Art. nr.: EC-LS-SK
- 8 mm 7x19 ID-ribbon
- Weight: 0,26 kg/mtr

Positioning Line 5/10/20 mtr



- Art. nrs. : EC-PL-5/-10/-20
- Weight 5mtr: 0.71 lbs. (1,57 kg)
- Weight 10mtr: 0.90 lbs. (1,98 kg)
- Weight 20mtr: 1.28 lbs. (2,78 kg)

Full Body Harness Professional



- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Seamfix 660 Extender post



- Art. nr.: EC-SMFL-660-XT
- Range 420-660mm
- Four S-5! Blocks required
- Weight: 13.9 lbs. (6,3 kg)

STEELFIX EVO
EN-795:2012 TYPE C



Steelfix End post



- Art. nr.: EC-SFL-EP
- Bituminous tape included
- 16 Bulb Tite rivets included
- Weight: 5.16 lbs. (2,34 kg)

S-type Energy Absorber



- Art. nr.: EC-VF-EA
- Weight: 1.12 lbs. (0,51 kg)

Crimp Fitting



- Art. nr.: EC-VF-CF
- Weight: 0.31 lbs. (0,14 kg)

Tensioner



- Art. nr.: EC-TFL-T
- Weight: 1.19 lbs. (0,54 kg)

Shuttle



- Art. nr.: EC-ST-G
- Weight: 0.71 lbs. (0,32 kg)

Steelfix Intermediate post



- Art. nr.: EC-SFL-TP
- Bituminous tape included
- 16 Bulb Tite rivets included
- Weight: 4.85 lbs. (2,20 kg)

Steelfix Corner post 90 degrees



- Art. nr.: EC-SFL-HP
- Bituminous tape included
- 16 Bulb Tite rivets included
- Weight: 5.93 lbs. (2,69 kg)

Steelfix Bendable Corner post




- Art. nr.: EC-SFL-HPB
- Bituminous tape included
- 16 Bulb Tite rivets included
- Weight: 5.11 lbs. (2,32 kg)

Steelfix Double End post



- Art. nr.: EC-SFL-EPD
- Bituminous tape included
- 16 Bulb Tite rivets included
- Weight: 5.38 lbs. (2,44 kg)

Steel Wire Cable AISI 316



- Art. nr.: EC-LS-SK
- 8 mm 7x19 ID-ribbon
- Weight: 0,26 kg/mtr

Positioning Line 5/10/20 mtr



- Art. nrs. : EC-PL-5/-10/-20
- Weight 5mtr: 0.71 lbs. (1,57 kg)
- Weight 10mtr: 0.90 lbs. (1,98 kg)
- Weight 20mtr: 1.28 lbs. (2,78 kg)

Full Body Harness Professional



- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Steelfix Extender post



- Art. nr.: EC-SFL-XT
- Bituminous tape included
- 16 Bulb Tite Rivets included
- Weight: 5.38 lbs. (2,44 kg)

SPINFIX
EN-795:2012 TYPE C



Spinfix End post



- Art. nr.: EC-SPFL-EB
- Bituminous tape included
- 6 Bulb Tite rivets included
- Weight: 3.44 lbs. (1,56 kg)

S-type Energy Absorber



- Art. nr.: EC-VF-EA
- Weight: 1.12 lbs. (0,51 kg)

Crimp Fitting



- Art. nr.: EC-VF-CF
- Weight: 0.31 lbs. (0,14 kg)

Tensioner



- Art. nr.: EC-TFL-T
- Weight: 1.19 lbs. (0,54 kg)

Shuttle



- Art. nr.: EC-ST-G
- Weight: 0.71 lbs. (0,32 kg)

Spinfix Intermediate post



- Art. nr.: EC-SPFL-IP
- Bituminous tape included
- 6 Bulb Tite rivets included
- Weight: 3.13 lbs. (1,42 kg)

Spinfix Corner post 90 degrees



- Art. nr.: EC-SPFL-CB
- Bituminous tape included
- 6 Bulb Tite rivets included
- Weight: 4.23 lbs. (1,92 kg)

Spinfix Bendable Corner post



- Art. nr.: EC-SPFL-CBB
- Bituminous tape included
- 6 Bulb Tite rivets included
- Weight: 3.37 lbs. (1,53 kg)

Spinfix Double End post



- Art. nr.: EC-SPFL-EBD
- Bituminous tape included
- 6 Bulb Tite rivets included
- Weight: 3.65 lbs. (1,66 kg)

Steel Wire Cable AISI 316



- Art. nr.: EC-LS-SK
- 8 mm 7x19 ID-ribbon
- Weight: 0,26 kg/mtr

Positioning Line 5/10/20 mtr



- Art. nrs. : EC-PL-5/-10/-20
- Weight 5mtr: 0.71 lbs. (1,57 kg)
- Weight 10mtr: 0.90 lbs. (1,98 kg)
- Weight 20mtr: 1.28 lbs. (2,78 kg)

Full Body Harness Professional




- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Spinfix Extender post



- Art. nr.: EC-SPFL-XT
- Bituminous tape included
- 6 Bulb Tite Rivets included
- Weight: 3.65 lbs. (1,66 kg)

WALLFIX FLAT
EN-795:2012 TYPE C



Wallfix Flat End



- Art. nr.: EC-WFF-EP
- Three M10 anchors required
- Weight: 2.50 lbs. (1,14 kg)

S-type Energy Absorber



- Art. nr.: EC-VF-EA
- Weight: 1.12 lbs. (0,51 kg)

Crimp Fitting



- Art. nr.: EC-VF-CF
- Weight: 0.31 lbs. (0,14 kg)

Tensioner



- Art. nr.: EC-TFL-T
- Weight: 1.19 lbs. (0,54 kg)

Shuttle



- Art. nr.: EC-ST-G
- Weight: 0.71 lbs. (0,32 kg)

Wallfix Flat Intermediate



- Art. nr.: EC-WFF-IP
- Three M10 anchors required
- Weight: 2.20 lbs. (1,0 kg)

Wallfix Flat Inside Corner



- Art. nr.: EC-WFF-CBI
- Six M10 anchors required
- Weight: 4.63 lbs. (2,1 kg)

Wallfix Flat Outside Corner



- Art. nr.: EC-WFF-CBO
- Six M10 anchors required
- Weight: 4.63 lbs. (2,1 kg)

Wallfix Flat Bendable Corner



- Art. nr.: EC-WFF-CBB
- Three M10 anchors required
- Weight: 2.43 lbs. (1,1 kg)

Steel Wire Cable AISI 316



- Art. nr.: EC-LS-SK
- 8 mm 7x19 ID-ribbon
- Weight: 0,26 kg/mtr

Lanyard with shock absorber



- Art. nr.: EC-VLD-6
- Weight: 1.40 lbs. (0,63 kg)

Full Body Harness Professional



- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Suitcase Storage PPE



- Art. nr.: EC-K
- Dimensions: 48x36x18 cm
- Weight: 4.21 lbs. (1,91 kg)

WALLFIX SUPPORT
EN-795:2012 TYPE C



Wallfix Support End



- Art. nr.: EC-WFS-EP
- Three M10 anchors required
- Weight: 2.89 lbs. (1,31 kg)

S-type Energy Absorber



- Art. nr.: EC-VF-EA
- Weight: 1.12 lbs. (0,51 kg)

Crimp Fitting



- Art. nr.: EC-VF-CF
- Weight: 0.31 lbs. (0,14 kg)

Tensioner



- Art. nr.: EC-TFL-T
- Weight: 1.19 lbs. (0,54 kg)

Shuttle



- Art. nr.: EC-ST-G
- Weight: 0.71 lbs. (0,32 kg)

Wallfix Support Intermediate



- Art. nr.: EC-WFS-IP
- Three Mio anchors required
- Weight: 2.58 lbs. (1,17 kg)

Wallfix Support Inside Corner



- Art. nr.: EC-WFS-CBI
- Six Mio anchors required
- Weight: 4.63 lbs. (2,1 kg)

Wallfix Support Outside Corner



- Art. nr.: EC-WFS-CBO
- Six Mio anchors required
- Weight: 4.63 lbs. (2,1 kg)

Wallfix Support Bendable Corner



- Art. nr.: EC-WFS-CBB
- Three Mio anchors required
- Weight: 2.80 lbs. (1,27 kg)

Steel Wire Cable AISI 316



- Art. nr.: EC-LS-SK
- 8 mm 7x19 ID-ribbon
- Weight: 0,26 kg/mtr

Lanyard with shock absorber



- Art. nr.: EC-VLD-6
- Weight: 1.40 lbs. (0,63 kg)

Full Body Harness Professional



- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Suitcase Storage PPE



- Art. nr.: EC-K
- Dimensions: 48x36x18 cm
- Weight: 4.21 lbs. (1,91 kg)

TRAVELFIX
EN-795:2012 TYPE C



Crimp Fitting



- Art. nr.: EC-VF-CF
- Weight: 0.31 lbs. (0,14 kg)

Tensioner



- Art. nr.: EC-TFL-T
- Weight: 1.19 lbs. (0,54 kg)

Travelfix Intermediate Bracket



- Art. nr.: EC-TRF-IB
- Weight: 1.53 lbs. (0,70 kg)

S-type Energy Absorber



- Art. nr.: EC-VF-EA
- Weight: 1.12 lbs. (0,51 kg)

Travelfix Energy Absorber



- Art. nr.: EC-TRF-EA
- Weight: 9.37 lbs. (4,25 kg)

Travelfix Trolley



- Art. nr.: EC-TRF-TR
- Weight: 3.29 lbs. (1,49 kg)

Travelix End Bracket



- Art. nr.: EC-TRF-EB
- Weight: 2.09 lbs. (0,95 kg)

Steel Wire Cable AISI 316



- Art. nr.: EC-LS-SK
- 8 mm 7x19 ID-ribbon
- Weight: 0,26 kg/mtr

Self Retracting Lifeline




- Art. nr.: EC-VSBV-7.5GW
- Length: 7,5 mtr/Wire

Self Retracting Lifeline



- Art. nr.: EC-VSBV-10GW
- Length: 10 mtr/Wire

SAFERAIL
EN-795:2012 TYPE D



SAFERAIL
EN-353-1:2014



SAFERAIL
EN-353-1:2014





CROSSFIX
EN-795:2012 TYPE E



Crossfix



- Art. nr.: EC-CRF-1
- 1-person
- Weight: 584 lbs. (265 kg)

Crossfix



- Art. nr.: EC-CRF-2
- 2-persons
- Weight: 760 lbs. (345 kg)

Self Retracting Lifeline



- Art. nr.: EC-SRL-2,25
- Length: 2,25 mtr

Self Retracting Lifeline 3,5 mtr



- Art. nr.: EC-VSBH-3.5GW
- Length: 3,5 mtr/Wire

Self Retracting Lifeline 6 mtr



- Art. nr.: EC-VSB-6W
- Length: 6 mtr/Webbing

Positioning Line 5/10/20 mtr



- Art. nrs. : EC-PL-5/-10/-20
- Weight 5mtr: 0.71 lbs. (1,57 kg)
- Weight 10mtr: 0.90 lbs. (1,98 kg)
- Weight 20mtr: 1.28 lbs. (2,78 kg)

Full Body Harness Professional



- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Suitcase Storage PPE



- Art. nr.: EC-K
- Dimensions: 48x36x18 cm
- Weight: 4.21 lbs. (1,91 kg)

VERTIFIX
EN-353-1:2014+A1:2017



Vertifix End Bracket



- Art. nr.: EC-VF-EBT
- Weight: 2.93 lbs. (1,33 kg)

Vertifix Intermediate Bracket



- Art. nr.: EC-VF-IBR
- Weight: 1.85 lbs. (0.84 kg)

Tensioner



- Art. nr.: EC-TFL-T
- Weight: 1.19 lbs. (0,54 kg)

Steel Wire Cable AISI 316



- Art. nr.: EC-LS-SK
- 8 mm 7x19 ID-ribbon
- Weight: 0,26 kg/mtr

Vertifix Elongation Bar



- Art. nr.: EC-VF-E
- U-Brackets included
- Maximum 1,5 meters
- Weight: 9.16 lbs. (4,16 kg)

Vertifix Rope Grab



ATEX Certified



- Art. nr.: EC-VF-RG
- Karabiner included
- Weight: 1.49 lbs. (0,674 kg)

S-type Energy Absorber



- Art. nr.: EC-VF-EA
- Weight: 1.12 lbs. (0,51 kg)

Crimp Fitting



- Art. nr.: EC-VF-CF
- Weight: 0.31 lbs. (0,14 kg)

Vertifix Bottom Bracket



- Art. nr.: EC-VF-EBB
- Weight: 2.54 lbs. (1,15 kg)

Lanyard with shock absorber



- Art. nr.: EC-VLD-6
- Weight: 1.40 lbs. (0,63 kg)

Full Body Harness Professional



- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Suitcase Storage PPE



- Art. nr.: EC-K
- Dimensions: 48x36x18 cm
- Weight: 4.21 lbs. (1,91 kg)

ROOFFIX
EN-517:2006 TYPE B



Rooffix Flat or Bended



- Art. nr.: EC-RF-F / EC-RF-B
- Screws included
- Weight: 1.86 lbs. (0,844 kg)

Rooffix Vertical Beam



- Art. nr.: EC-RF-V
- Screws included
- Weight: 2.03 lbs. (0,92 kg)

Rooffix Double Beam



- Art. nr.: EC-RF-DB700
- Screws included
- Range 450 - 700 mm
- Weight: 8.38 lbs. (3,8 kg)

Rooffix Double Beam



- Art. nr.: EC-RF-DB1200
- Screws included
- Range 930 - 1200 mm
- Weight: 12.9 lbs. (5,86 kg)

Positioning Line 5/10/20 mtr



- Art. nrs. : EC-PL-5/-10/-20
- Weight 5mtr: 0.71 lbs. (1,57 kg)
- Weight 10mtr: 0.90 lbs. (1,98 kg)
- Weight 20mtr: 1.28 lbs. (2,78 kg)

Lanyard with shock absorber



- Art. nr.: EC-VLD-6
- Weight: 1.40 lbs. (0,63 kg)

Full Body Harness Professional



- Art. nr.: EC-FBH-PRO
- Weight: 4.21 lbs. (1,91 kg)

Suitcase Storage PPE



- Art. nr.: EC-K
- Dimensions: 48x36x18 cm
- Weight: 4.21 lbs. (1,91 kg)

LADDERBRACKET & SAFETY SIGNS



Roof Entrance



- Art. nr.: EC-P-VBC
- Weight: 0.24 lbs. (0,11 kg)

No Entry



- Art. nr.: EC-P-VT
- Weight: 0.24 lbs. (0,11 kg)

Ladder Bracket Eyecatcher



- Art. nr.: EC-LOPB-EYE
- Weight: 4.14 lbs. (1,88 kg)

Ladder Bracket Flexible



- Art. nr.: EC-LOPB-F
- Weight: 2.73 lbs. (1,24 kg)

Concrete / Brick Anchors



- Art. nr.: EC-LOPB-CA
- Weight: 2.73 lbs. (1,24 kg)

Roof Entrance



- Art. nr.: EC-P-VB
- Weight: 0.31 lbs. (0,14 kg)

Risk of Falling



- Art. nr.: EC-P-VG
- Weight: 0.24 lbs. (0,11 kg)

Risk of Tripping



- Art. nr.: EC-P-SG
- Weight: 0.24 lbs. (0,11 kg)

Danger of Falling Through



- Art. nr.: EC-P-DVG
- Weight: 0.24 lbs. (0,11 kg)

Danger




- Art. nr.: EC-P-D
- Weight: 0.24 lbs. (0,11 kg)

Non-Ionizing Radiation



- Art. nr.: EC-P-VG
- Weight: 0.24 lbs. (0,11 kg)

SOLARFIX LOW





Solarfix Low



- Art. nr.: EC-SFX-L
- One M12 anchor required
- Weight: 1.86 lbs. (0,844 kg)

Solarfix Low PVC



- Art. nr.: EC-SFX-LPVC
- One M12 anchor required
- Weight: 1.86 lbs. (0,844 kg)

M12 Toggle Bolt 300 mm



- Art. nr.: EC-TF-TP300
- Weight: 1.37 lbs. (0,62 kg)

M12 Concrete Anchor 300 mm



- Art. nr.: EC-MA-12
- Weight: 0.73 lbs. (0,33 kg)

Solarfix Low Fixation



- Art. nr.: EC-SFX-LB
- Fixation with membrane
- Weight: 1.70 lbs. (0,77 kg)

Solarfix Low PVC Fixation



- Art. nr.: EC-SFX-LBPVC
- Fixation with membrane
- Weight: 1.70 lbs. (2,78 kg)

ROOF ACCESS & CAGE LADDERS





TEMPORARY GUARDRAIL RENTAL



PERSONAL PROTECTION EQUIPMENT

Full Body Harness Basic



■ Art. nr.: EC-FBH-B

Full Body Harness Professional



■ Art. nr.: EC-FBH-PRO

Full Body Harness Vest



■ Art. nr.: EC-FBH-VS

Temporary Lifeline 20 mtr



■ Art. nr.: EC-THL-20

Lanyard with shock absorber



■ Art. nr.: EC-VLD-2
■ Weight: 2.14 lbs. (0,97 kg)

Double Leg Safety Lanyard



■ Art. nr.: EC-VLD-4
■ Weight: 3.44 lbs. (1,56 kg)

Lanyard with Shock Absorber



■ Art. nr.: EC-VLD-6
■ Weight: 1.40 lbs. (0,63 kg)

Suitcase Storage PPE



■ Art. nr.: EC-K

PERSONAL PROTECTION EQUIPMENT

Positioning Line 5/10/20 mtr



■ Art. nr.: EC-PL-5 / 10 / 20

Suitcase Storage PPE



■ Art. nr.: EC-K

Trauma Suspension Straps



■ Art. nr.: EC-SRS

SRL Twin Block 1,8 mtr



■ Art. nr.: EC-SRL-Y-1,8

Karabiner



■ Art. nr.: EC-KB

Tool Lanyard



■ Art. nr.: EC-TL
■ Capacity : 8.82 lbs. (4,6 kg)

Tool Y-Lanyard



■ Art. nr.: EC-TL-Y
■ Capacity : 22 lbs. (10 kg)

Self Retracting Lifeline 2,25 mtr



■ Art. nr.: EC-SRL-2,25

Self Retracting Lifeline 6 mtr



- Art. nr.: EC-VSB-6W
- Length: 6 mtr/Webbing

Self Retracting Lifeline 3,5 mtr



ATEX Certified

- Art. nr.: EC-VSBH-3.5GW
- Length: 3,5 mtr

Self Retracting Lifeline 7,5 mtr



ATEX Certified

- Art. nr.: EC-VSBH-7.5GW
- Length: 7,5 mtr

Self Retracting Lifeline 10 mtr



ATEX Certified

- Art. nr.: EC-VSBH-10GW
- Length: 10 mtr

Self Retracting Lifeline 3,5 mtr



ATEX Certified

- Art. nr.: EC-VSBV-3.5GW
- Length: 3,5 mtr

Self Retracting Lifeline 7,5 mtr



ATEX Certified

- Art. nr.: EC-VSBV-7.5GW
- Length: 7,5 mtr

Self Retracting Lifeline 10 mtr



ATEX Certified

- Art. nr.: EC-VSBV-10GW
- Length: 10 mtr

Self Retracting Lifeline 12 mtr



ATEX Certified

- Art. nr.: EC-VSBV-12GW
- Length: 12 mtr

LOOSE PARTS FIX LINE SYSTEM

Fix Extender



- Art. nr.: FixExtender
- Weight : 0.95 lbs (0,43 kg)

Tensioner Seal



- Art. nr.: EC-TFL-TS
- Weight: 1.41 lbs. (0,64 kg)

Cable Joiner



- Art. nr.: EC-CS
- Weight: 0.11 lbs. (0,05 kg)

Fix Bendable Corner



- Art. nr.: FixCornerBendable
- Weight: 2.09 lbs. (0,95 kg)

Fix Double End Bracket



- Art. nr.: FixEndDouble
- Weight: 2.09 lbs. (0,95 kg)

Fix End Bracket



- Art. nr.: FixEnd
- Weight: 2.09 lbs. (0,95 kg)

Fix Intermediate Bracket



- Art. nr.: FixIntermediate
- Weight: 2.09 lbs. (0,95 kg)

Fix Corner Bracket



- Art. nr.: FixCorner
- Weight: 2.09 lbs. (0,95 kg)

S-type Energy Absorber



- Art. nr.: EC-VF-EA
- Weight: 1.12 lbs. (0,51 kg)

Crimp Fitting



- Art. nr.: EC-VF-CF
- Weight: 0.31 lbs. (0,14 kg)

Tensioner



- Art. nr.: EC-TFL-T
- Weight: 1.19 lbs. (0,54 kg)

M10 Concrete Anchors 300 mm



- Art. nr.: EC-MA-10
- Weight: 0.46 lbs. (0,21 kg)

M10 Toggle Bolts 300 mm



- Art. nr.: EC-TP
- Weight: 1.37 lbs. (0,62 kg)

M12 Concrete Anchor 300 mm



- Art. nr.: EC-MA-12
- Weight: 0.73 lbs. (0,33 kg)

M12 Toggle Bolt 245 mm



- Art. nr.: EC-TF-TP245
- Weight: 1.32 lbs. (0,60 kg)

M12 Toggle Bolt 300 mm



- Art. nr.: EC-TF-TP300
- Weight: 1.37 lbs. (0,62 kg)

INSTALLATION TOOLS

Hole Saw 44 mm



■ Art. nr.: EC-GTZ-44

Hole Saw Arbor 44 mm



■ Art. nr.: EC-GTZ-44HC

Hole Saw 30 mm



■ Art. nr.: EC-GTZ-30

Hole Saw Arbor 30 mm




■ Art. nr.: EC-GTZ-30HC

Crimping Tool Complete



■ Art. nr.: EC-TFL-CT

Jaws Holder Complete



■ Art. nr.: EC-TFL-CTA

Jaw 2-segment



■ Art. nr.: EC-TFL-CTB

Bulb-Tite Rivet Tool



■ Art. nr.: EC-TFL-BTR

Toggle Bolt M12 Tool



■ Art. nr.: EC-VPS

Concrete M10 Tool



■ Art. nr.: EC-VPS-17

Concrete M102 Tool



■ Art. nr.: EC-VPS-19

Life Line Grabber



■ Art. nr.: EC-LL-G

Life Line Fixator



■ Art. nr.: EC-LL-F

Life Line Lightning Cable



■ Art. nr.: EC-LL-LC

Cable Joiner



■ Art. nr.: EC-CS
■ Weight: 0.11 lbs. (0,05 kg)

Life Line Cable Tension Meter



■ Art. nr.: EC-LL-CT
■ Weight: 1.32 lbs. (0,60 kg)

1. WIND TURBINE

- Anchor Points
- EN-795:2012 type A & CEN/TS-16415:2013
- KN-AO, EYE-AP, Clickfix Steel

2. CONFINED SPACES

- Rescue and Evacuation
- EN-795:2012 type B & EN-341:2011/A/IB
- Tripods, Descenders and Rescue devices

3. LADDERS / VERTICAL LINE- AND RAIL-SYSTEM

- Vertical line- and railsystem
- EN-353-1:2014
- Vertifix, Saferail

4. PERMANENT ROOF EDGE PROTECTION

- Guardrail
- EN-14122-3 & EN-13374
- Guardrail permanent and free standing

5. LADDERS / VERTICAL LINE- AND RAIL-SYSTEM

- Vertical line- and railsystem
- EN-131 & NEN-2484 & EN-14122-4 & EN-353-1:2014
- Permanent ladders, Cageladders, Vertifix, Saferail

6. TEMPORARY ROOF EDGE PROTECTION

- Guardrail
- EN-14122-3 & EN-13374

7. SMALL ROOFS

- Dead Weight Anchor
- EN-795:2012 type E & CEN/TS-16415:2013
- Crossfix

8. INDUSTRIAL BUILDINGS / MAGAZINES / STORAGE AND TRANSFER STATIONS

- Overhead line- and railsystems
- EN-795:2012 type C & CEN/TS-16415:2013
- Travelfix, Saferail

9. OPENINGS AND DOOR FRAMES

- Mobile Anchor Point
- EN-795:2012 type B & CEN/TS-16415:2013
- Doorfix, Clickfix Concrete, Clickfix Steel

10. OPENINGS AND WINDOWS

- Mobile and Permanent Anchor Point
- EN-795:2012 type A/B & CEN/TS-16415:2013
- EYE-AP, KN-AO, Doorfix, Clickfix concrete

11. ROOF ENTRANCE & SIGNS

- Ladder Brackets, Signs, (Cage-)Ladder

12. WALLS

- Anchor Points and Line Systems
- EN-795:2012 type A/C & CEN/TS-16415:2013
- KN-AO, EYE-AP, Wallfix, Travelfix

13. FLAT ROOF DOMES

- Guardrails
- EN-14122-3 & EN-13374
- Flat Roof Domes Guardrail

14. FLAT ROOFS

- Anchor Points and Line Systems
- EN-795:2012 type A/C & CEN/TS-16415:2013
- Twistfix, Bodyfix

15. REPAIRS AND INSPECTION

- Inspections, Maintenance, Repares, Risk Analysis
- Anchor Points, Line Systems, Roofs, PPE

16. SOLAR ENERGIE

- Support
- Solarfix

17. GREEN ROOFS

- Anchor Points and Line Systems
- EN-795:2012 type A/C & CEN/TS-16415:2013
- Twistfix

18. TEMPORARY LINE SYSTEMS

- Anchor Points and Line Systems
- EN-795:2012 type A & CEN/TS-16415:2013
- Twistfix, Bodyfix, Temporary Lines

19. METAL AND STANDING SEAM ROOFS

- Anchor Points and Line Systems
- EN-795:2012 type A/C & CEN/TS-16415:2013
- Spinfix, Steelfix, Seamfix

20. PERMANENT & MOBILE OVERHEAD

- Overhead Anchor Points and Rail Systems
- EN-795:2012 type B & CEN/TS-16415:2013

21. MOBILE FALL PROTECTION

- EN-795:2012 type B
- X1250 Mobile Grabber

HEIGHT SAFETY SYSTEMS





Eyecatcher BV Teddingtonweg 28C | 2421 LL Nieuwkoop | The Netherlands
T +31(0)172-57 55 70 | E info@eyecatchersafety.com

